


CENTER CONSOLES

SEAVEE Z PERFORMANCE MODEL LINE



SEAVEE
Boats
Lead the Way





REVOLUTIONIZING PERFORMANCE FROM THE BOTTOM UP

The award-winning SeaVee Z redefines the Offshore Center Console Performance category from the bottom up. Superior handling, speed and efficiency all start with the revolutionary new high-tech, cross ventilated, twin stepped, cored hull. Multiple lifting bodies, each with a unique angle of attack, are designed to produce a fixed trim angle at a variety of speeds ensuring maximum efficiency, ride comfort and a clear view of the horizon at all times.

Safety at speed is paramount. To ensure safe handling during high speed maneuvers, the SeaVee Z features patented Speed-rail™ Technology. High speed turns produce opposing concentrated pressure on the speed-rails™, safely keeping the boat tracking in the desired direction without the risk of losing control. The precise handling performance of the SeaVee Z significantly enhances the safety of the operator and passengers, while producing an exhilarating ride experience.



The SeaVee Z Model line up is designed exclusively for outboard power. It all starts with the twin engine 322Z, includes the bold 340Z, the all new 370Z and the flagship 390Z with up to four motors and 1,800 hp. Every model is available either as an open fisherman or as the Luxury Edition (LE) with additional seating options and creature comforts.

SPECIFICATIONS

322Z



322 Z & LE

The 322 Z offers an abundance of space and a versatile layout. Twin molded-in live wells at each corner reconfigure the aft cockpit, making it significantly deeper and more spacious. As an open fisherman, the 322Z can be rigged with multiple live wells, insulated fish boxes and various towers and rod holder layouts. The side-door is now an option both for the Luxury Edition (LE) and Open Fisherman.

SPECIFICATIONS*

Length:	32' 9"
Beam:	9' 6"
Weight w/o engines:	6,900 lbs.
Hull Draft:	20"
Hull Deadrise:	22.5°
Fuel Capacity:	312 gal.
Fresh Water:	39 gal.
Max Engines:	2
Max HP:	900

CAPACITIES


Fwd Fishbox:	129 gal.
Fwd Fishbox / Live Well:	41 gal.
Fwd Wing Boxes:	2X 51 gal.
Aft In Deck Fishbox / Live Well:	88 gal.
Transom Corner Livewells:	2X 40 gal.
Aft Storage Boxes:	2X 17.5 gal.
Aft Lift Out Boxes:	2 X 7 gal.
Waste:	19 gal.

STANDARD FEATURES

- Dual aft corner 40 gallon live wells
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Dual water separators
- Large dual card compass
- Dual automatic bilge pumps
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Sliding Door Console
- Navigation lighting
- 1/4" Coated Aluminum Fuel Tanks
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Pop up cleats (6)
- Rod Holders (4)
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center Console with storage compartment
- Lockable rod storage
- 10 year hull warranty

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Storage / Optional Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Aft Storage With Molded Lift Out Storage Tubs
- K. Optional Molded Front Seating w/ Electric Back Rest & Storage
- L. Aft Storage W/ Integral Molded Recesses For 5 Gal Bucket Storage
- M. Transom Dive Door
- N. Optional Hull Side Door With Swim Ladder





340 Z OPEN

Designed to dominate fishing tournaments and lead the way on long runs offshore, the SeaVee 340 Z Open can be powered with twin or triple outboards up to 1,200 hp. Offered with an abundance of options including an upper station with full controls, up to 3 insulated fishboxes with a combined 293 gallons of capacity, plus an optional coffin box and up to 4 live wells capable of holding a combined 193 gallons.

SPECIFICATIONS*

Length:	34' 9"
Beam:	10'
Weight w/o engines:	7,950 lbs.
Hull Draft:	20"
Hull Deadrise:	23°
Fuel Capacity:	364 gal.
Fresh Water:	40 gal.
Waste:	14 gal
Max Engines:	3
Max HP:	1,200

CAPACITIES

Fwd Fishbox:	180 gal.
Fwd. Fishbox / Live Well:	53 gal.
Fwd Wing Boxes:	2x 45 gal.
In Deck Fishbox / Live Well:	60 gal.
Transom Live Well:	60 gal.
Aft Wing Boxes:	2x 40 gal.
Transom Storage / Live Well:	10 gal./22 gal.


STANDARD FEATURES

- 60 gallon live bait well with pump
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Fuel / water separator (s)
- Large dual card compass
- Dual automatic bilge pumps
- Dual marine AGM batteries
- Tinned wiring
- Electrical breaker panels
- Navigation lighting
- Heavy duty rub rail
- Anchor locker / Windlass Compartment
- Rod holders (4)
- 1/4" Coated Aluminum Fuel Tanks

- Pop up cleats (6)
- Under deck dry storage
- Self-bailing cockpit with non-skid deck
- Center console with storage compartment
- Helm station keyed, electronically controlled battery switches
- Lockable rod storage
- 10 year hull warranty

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Storage / Optional Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Transom Storage or Live Well
- K. Aft Wing Storage (Removable)
- L. Transom Dive Door





340 Z LE

The SeaVee 340 Z Luxury Edition (LE) offers the same level of performance as her sister ship, along with additional forward seating options for families seeking a comfort upgrade. Sun worshipers will appreciate the 340 Z LE's two lounge style seats molded into the forward cockpit complete with electronically adjustable backrests and additional storage along both sides.

SPECIFICATIONS*

Length:	34' 9"
Beam:	10'
Weight w/o engines:	8,150lbs.
Hull Draft:	20"
Hull Deadrise:	23°
Fuel Capacity:	364 gal.
Fresh Water:	40 gal.
Waste:	14 gal
Max Engines:	3
Max HP:	1,200

CAPACITIES

Fwd Fishbox:	180 gal.
Fwd Fishbox / Live Well:	53 gal.
Fwd Wing Boxes:	2x 45 gal.
Aft In Deck Fishbox / Live Well:	60 gal.
Transom Live Well:	60 gal.
Aft Wing Boxes:	2 x 40 gal.
Transom Storage/ Live Well:	10 gal./22 gal.


STANDARD FEATURES

- 60 gallon live bait well with pump
- Integrated platform with transom door
- Fully insulated fishboxes (2)
- Hydraulic steering
- High performance trim tabs
- Fuel / water separator (s)
- Large dual card compass
- Dual automatic bilge pumps

*Specifications subject to change

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Fishbox or Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage / Optional Head
- F. Custom Tackle Station
- G. Storage / Optional Fishbox / In-Deck Live Well
- H. Bilge Access
- I. Live Well
- J. Transom Storage or Live Well
- K. Forward Seats With Adjustable Head Rest
- L. Aft Wing Storage (Removable)
- M. Transom Dive Door





370 Z OPEN & LE

Offering more deck space, range and performance than any boat in her class, the all new 370 Z Open is a tournament fisherman's dream. Power options range from twin to triple outboards up to 1,200 hp. Notable options include an upper station with full controls, up to 5 insulated fishboxes with a combined 445 gallons of capacity, plus an optional coffin box and up to 4 live wells capable of holding up to 215 gallons. Upgrading to the LE option adds a variety of seating options and creature comforts.

SPECIFICATIONS*

Length:	37'
Beam:	10' 6"
Weight w/o engines:	9,300 lbs.
Hull Draft:	22"
Hull Deadrise:	22.5°
Fuel Capacity:	460 gal.
Fresh Water:	50 gal.
Waste:	14 gal.
Max Engines:	3
Max HP:	1,350

CAPACITIES

Fwd Fishbox:	150 gal.
Fwd Fishbox / Live Well:	60 gal.
Fwd Wing Boxes:	2x 95 gal.
Aft in Deck Fishbox / Live Well:	70 gal.
Transom Live Wells:	2 x 40 gal.
Aft Fishboxes:	150 gal. & 150 gal.
Aft Wing Boxes:	2 x 13 gal.
Additional Fishbox:	50 gal.


STANDARD FEATURES

- 2 x 40 gallon Live Wells
- Dual aft 13 gallon pull-out compartments
- Transom Door
- Fully insulated fishboxes (4)
- 2 x 150 gallon aft storage lockers
- Dual forward large storage compartments with tubes for rod storage



DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Storage / Fishbox / Live Well
- D. Fwd Wing Boxes / Lockable Rod Lockers
- E. Console Storage or Optional Head
- F. Custom Tackle Station
- G. Side Entry Door / Swim Ladder
- H. Storage / In-Deck Live Well
- I. Bilge Access
- J. Aft Live Wells
- K. Aft Wing Storage (Removable)
- L. Aft Fishboxes
- M. Under Gunnel Storage or Pull-out Seats
- N. Additional Fishbox
- O. Forward Seating (LE)
- P. Transom Dive Door



- Walk-in console with side sliding door, fresh water sink and shower
- Freshwater washdown system with coiled hose and molded hose tray
- Saltwater washdown system with coiled hose and molded hose tray
- Dedicated anchor and storage locker
- Helm station keyed, electronically controlled battery switches
- Dual tilt out forward storage areas below gunwales or option dual 50" retractable bench seats
- Large dual self bailing deck scupper ports
- 1/4" Coated Aluminum Fuel Tanks
- Dual automatic bilge pumps
- 10 year hull warranty

SPECIFICATIONS 390Z



390 Z OPEN

The SeaVee 390 Z Open offers serious anglers the ultimate in performance and fishability. Power options include twin, triple or quad engines up to 1,600 hp. Notable options include an upper station with full controls, up to 3 insulated fishboxes with a combined 370 gallons of capacity, plus an optional coffin box and up to 5 live wells capable of holding up to 220 gallons.

SPECIFICATIONS*

Length:	39'
Beam:	11'
Weight w/o engines:	9,670 lbs.
Hull Draft:	26"
Hull Deadrise:	22.5°
Fuel Capacity:	550 gal.
Fresh Water:	56 gal.
Waste:	19 gal
Max Engines:	4
Max HP:	1,800

CAPACITIES


Fwd Fishbox:	160 gal.
Fwd Fishbox / Well:	70 gal.
Fwd Wing Boxes:	2x 100 gal.
Aft in Deck Fishbox / Live Well:	140 gal.
Transom Live Well:	65 gal.
Aft Wing Boxes:	2x 40 gal.

STANDARD FEATURES

- 65 gallon live well
- Dual aft 40 gallon pull-out compartments
- Hull-Side Door with folding swim ladder
- 140 gallon aft storage locker/optional live well
- Fully insulated fishboxes (2)
- Lockable rod storage
- Walk-in console with side sliding door, fresh water sink and shower
- Freshwater washdown system with coiled hose and molded hose tray
- Saltwater washdown system with coiled hose and molded hose tray
- Dedicated anchor and storage locker
- Helm station keyed, electronically controlled battery switches
- Dual forward storage areas below gunwales or option dual 52" retractable bench seats
- Large dual self bailing deck scupper ports
- 1/4" Coated Aluminum Fuel Tanks
- Dual automatic bilge pumps
- 10 year hull warranty

DECK LAYOUT CHART

- A. Anchor Locker / Windlass Compartment
- B. Fishbox
- C. Optional Pull-out Seats or Under Gunnel Storage
- D. Fishbox or Live Well
- E. Fwd Wing Boxes / Lockable Rod Lockers
- F. Console Storage or Optional Head
- G. Custom Tackle Station
- H. Storage / Optional Fishbox / In-Deck Live Well
- I. Side Entry Door / Swim Ladder
- J. Bilge Access
- K. Aft Wing Box Storage
- L. Fold Down Seating
- M. Live Well





390 Z LE

The SeaVee 390 Z Luxury Edition (LE) is a performance oriented fishing platform offering a variety of additional seating and storage options for families that like to spend time on the water together. The 390 LE can be customized to your individual needs with everything from an L-shaped forward seating lounge, a forward sun pad, wet bar, rear lounge seats and a variety of other options.

SPECIFICATIONS

Length:	39'
Beam:	11'
Weight w/o engines:	9,870lbs.
Hull Draft:	26"
Hull Deadrise:	22.5°
Fuel Capacity:	550 gal.
Fresh Water:	60 gal.
Waste:	19 gal
Max Engines:	4
Max HP:	1,800

CAPACITIES


Fwd Fishbox:	160 gal.
Fwd Fishbox / Well:	70 gal.
Aft in Deck Fishbox / Live Well:	140 gal.
Transom Live Well:	65 gal.
Aft Wing Boxes:	2x 40 gal.

STANDARD FEATURES

- 65 gallon live bait well
- Fully insulated fishboxes (2)
- Storage below forward seating area
- Dual aft 40 gallon pull-out compartments
- Hull-Side Door with folding swim ladder
- Lockable rod storage
- Dedicated anchor and storage locker
- Freshwater washdown system with coiled hose and molded hose tray

DECK LAYOUT CHART

A. Anchor Locker / Windlass Compartment	I. Custom Tackle Station
B. Fishbox	J. Side Entry Door / Swim Ladder
C. Wrap Around Seating With Storage	K. Storage / Optional Fishbox
D. Fishbox or Live Well	L. Bilge Access
E. Corian Counter Top With Freshwater Sink	M. Aft Wing Storage Boxes
F. Storage	N. Live Well
G. Console Storage or Optional Head	O. Fold Down Seating
H. Above Deck Cooler	



SPECIFICATIONS

450Z



450 Z

The 450z is designed to compliment your offshore lifestyle with robust capabilities to stretch the boundaries for upcoming adventures. Offered as a quad outboard configuration, the 450z offers impressive performance and the ability to accommodate almost unlimited horsepower. Standard features include a SeaKeeper gyro, A/C and a generator. Available options include up to 5 bait wells, a variety of towers, transom doors and creature comforts.

SPECIFICATIONS*

Length:	45'
Beam:	12'6"
Weight w/o engines:	22,000 lbs.
Hull Draft:	27"
Hull Deadrise:	22°
Fuel Capacity:	778 gal.
Fuel Capacity Generator:	48 gal.
Fresh Water:	110 gal.
Waste:	30 gal
Max Engines:	4
Max HP:	Unlimited


CAPACITIES

Fwd Fishbox:	150 gal.
Fwd Storage/ Live Well:	60 gal.
Fwd Wing Boxes:	2X 100 gal.
Aft in Deck Fishboxes:	2X 100 gal.
Rear Live Wells:	2X 40 gal.
Aft in Deck Live Wells:	2X 40 gal.



DECK LAYOUT CHART

- A. 40 Gallon Aft Live Wells
- B. Bilge Access
- C. Storage / Optional Live Wells
- D. 200 Gallon Fish Boxes
- E. SeaKeeper / Generator Compartment
- F. Port & Stbd Side Door
- G. Leaning Post With Seating for 6 & Built-in Storage
- H. Cabin With Head, Kitchen & Dining. Sleeps 2 Comfortably
- I. Forward Lounge Seat
- J. Twin Bow Rod Lockers
- K. Storage / Optional Live Well
- L. Fish Box
- M. Anchor Locker / Optional Windlass





STANDARD FEATURES

- Seakeeper stabilizing gyro
- 50 amp shore power inlet
- 40 amp battery charger and galvanic isolator
- High performance hydraulic trim tabs
- 16K BTU helm air conditioning unit
- 16K BTU cabin air conditioning unit
- Freshwater washdown hose coils in bow & stern
- Saltwater washdown Hose coils in bow & stern
- Water Heater
- LED Lighting
- Dual transom corner baitwells (additional 3 below deck baitwell options available)
- Aft insulated fish boxes with overboard drainage
- Bow insulated fish box with overboard drainage
- Dual rod storage compartments
- Solid surface galley countertop with polished stainless steel sink
- Custom wood veneer galley cabinets, with microwave and drawer refrigerator
- Solid surface head countertop with integrated sink

- Custom wood veneer vanity cabinet and door
- Shower with integrated Sump
- Porcelain electric toilet with soft close lid
- Hi/Lo electric table base with custom folding leaf table
- Custom upholstery with center filler cushion to convert settee to full sized bed
- Cabin overhead moonlight hatch
- Three deluxe captains chairs with flip-up bolster and arm rests
- Automated rear facing mezzanine seat with dual coolers, arm rests and cup holders
- Intergrated tackle storage with multiple drawers and storage for 12 Plano Boxes
- 2nd row bench seat or optional row of captains chairs (3)
- Overhead safety gear / kite box compartment
- Electric slide operation for captain's chair
- Upholstered forward lounge seating with folding armrests
- Starboard side intergrated hull side door with telescopic ladder (inward swinging, optional port side door available)

- Integrated LED navigation lights
- Integrated LED bow flood light bar
- Dual aft flood lights
- Dual integrated LED forward search light bars
- Dual Integrated Manual Sliding Sunroof Hatches
- Uni-Infused console/windshield system with laminated safety glass
- Infused fiberglass hardtop and aft ladder support system
- Deluxe low-profile cabin side door
- City water inlet connection
- Self bailing cockpit throughout



305.759.6419 SEAVEEBOATS.COM